







KRONE BY LG INDUSTRIES

We create innovative durable designs to make your bathroom unique – backed by over 20 years of expertise.

Located in the Hauts-de-France region, our company was founded by Mr Thierry Lelong. For over 20 years, we have been designing high-end shower panels and enclosures, taps, and bathtubs. We create, manufacture, and distribute exceptional products, driven by our core values: Quality, Design, and Durability.

At LG INDUSTRIES, "Details matter" – each little thing can make the difference

We guarantee your peace of mind: product quality, compliance with standards, and durability.





A TRUSTED PARTNER

FOR YOUR PEACE OF MIND

Controlled production & strict quality checks

Thanks to regular investments, our factory is equipped with cutting-edge production tools that enhance productivity, flexibility, and competitiveness, while ensuring high-quality products.

In 2024, we doubled our factory's production capacity by investing in optimised robotics, on a 36,000m² site, to better meet customer demands.

Our quality control policy exceeds regulatory requirements and follows a very precise set of specifications: components are inspected before production, checks are carried out throughout the process, and final inspections are conducted in line with AQL standards.









A RENOWNED PARTNER

FOR ITS QUALITY & INNOVATION

Our products are at the forefront of design and innovation, crafted from highquality raw materials to ensure durability. Each product reflects the expertise and craftsmanship of our teams.

*Recognised Expertise, Built Over Timer

For 20 years, we have built strong, lasting relationships with our customers. They trust us and benefit from our services:

- High-quality, durable products
- Product repairability
- Availability of parts for over 10 years.

The tradepress also recognises our commitment and unique qualities.

*Details matter, quality and precision

"Details matter" highlights our commitment to applying our standards in every aspect of our work


We remain attentive to our customers' expectations and market trends, while fostering our creativity to enhance our knowledge and skills. This approach is crucial to offering an innovative product portfolio that meets the needs of tomorrow.




QUALITY our ue erQUALITY

To ensure the quality and durability of our products, we monitor every stage of our value chain, from the sourcing of raw materials to aftersales service.

The selection of raw materials is crucial: each base material undergoes strict controls to ensure consistent quality and compliance with current standards.





WE CREATE EVERYDAY LIFE SO THAT IT LASTS FOR YEARS



MODULAR INNOVATIONS

INNOVATIONS...

PRODUCTS

Multiple solutions for specific requirements:

- Various configurations available: from SKY to CONCEPT SKY
- Ergonomic solutions: KONNECT walk-in delivered in a suitcase
- Disruptive designs: 2m25 shower panels to enhance a master suite

TECHNICAL

- 180° hinge: optimal opening without constraints or wear
- DECLIK towel rail: combining practicality with design
- Etched glass: timeless patterns on smooth surfaces











SKY SERIES

- Modular series: Walk-in, Walk-in with return, Concept Sky, and Cab'in Sky
- Adjustable and discreet "L" shaped fixing arm
- Maximised access with frameless sliding door

KONNECT SERIES

- Ease of transport
- Quick and simple installation
- Optimised storage space
- Customisable central design



INTEGRATION

OF MANUFACTURING PROCESSES



We control the entire production process, from the manufacturing of profiles to the transformation of glass

- We carry out the finishing and tempering of glass in-house: we control all processes and inspections, and every piece of glass in our panels and enclosures is inspected.
- Our quality engineers are experts in ISO 9001 and sign off on every production
- Our product are 100% repairable. Spare parts are in stock, even for items over 10 years old.
- Thanks to this industrial and human commitment, we have maintained trusted relationship with our customers since the founding of our company.



A SOLUTION FOR EVERY NEED



Index

Shower

Declik

Walk-in			Shower	'tray	
Astra		P.16			
Kallik		P.19	Freestand	ling tray ————	_
Vuance		P.27	Kaïros		P.
Sky		P. 28	Tarour	ATT 0	
Konnect		P.29	Tapw	are	
_enox		P.35	Sink		
Pivot door			Style		P.5
Astra		P. 17	Keen		P. 5
Prisma		P. 22	Zac		P. 6
_ink		P.24	Shower m	iver ———	
rime		P.32	Style	mechanical	P. 5
corner acce	ess	P.30	Siyle	thermostatic	P. 5
_enox		P. 36	Keen	mechanical	P. 6
		1.00	Zac	mechanical	P. 6
Double pivot door		D 22		wer mixer —	
lime		P. 33			
Sliding door			Style	mechanical thermostatic	P.:
Prisma corner acc		P.20			P
quarter circ two panels		P.21	Keen	mechanical	P.
		P.23	Zac	mechanical	P.
ink		P.25	Floor-mou	ınted bath/shower mixer -	
ime two panels		P.31	Style	•	P.
enox two panels		P.38	Keen		P.o
Pivotting shutter					
Astra		P. 18	Colu	mn	
Side panel				atic mixer ———	
Prisma with pivot d	loor	P.22			-
with sliding o		P.23	Créa Quik		P.
ink		P.26	Quik Pulse		Ρ.
Sky with walk-in		P.28	Prime		P. P.
īme		P.34	Pure		P. P.
.enox		P.38	Style		P. P.
Shower cabin	-	1.00	Keen		P. P.
inéa quarter circ	lo	P.39	110011		١.
square	ı c	P. 40	Bath	tub	
rectangle		P. 40			
larmonie quarter circ	le	P. 41	Freestand		
rectangle	.0	P. 42	Antik		P.
· ·		1.42	Munich		P.
athtub screen			Macao		P.
			Minsk		P.
ixed			Monaco		P.
nfini		P. 43	Monte Co	arlo	Р.
with a pane	el	P. 44	Kyma		Р.
	ded-edge panel	P. 45	Colors		P.
Pivoting-lifting	-		Wall-mou	nted ———	
		D 44	Marbella		P.
Pump-Up Pump up with shutter		P. 46 P. 47	Corner		
Pump-up with shutter		P. 4/	Marbella		P.:
Accessory					

P. 48





WE ARE MANUFACTURERS OF SHOWERS

Our shower enclosures meet international certifications.

A high-quality and sustainable production

- Tempered glass: 100% of the glass is inspected
- Nano Care anti-fingerprint treatment, made in Germany, free from PFOA (no harmful substances)
- Premium-quality alloys
- Finishes: polished aluminium, matte black, gold, matte silver, rose gold...
- We carry out anodisation* and PVD treatment
- 100% repairable products
- Spare parts in stock



*ANODISATION VS PAINTING: Durable color – High resistance to impact and scratches – Significantly increases the durability of profiles



General table

Shower and bathtub screen universe

Collection	Opening system	Height	Glass thickness	Réversible	Compensation
			HICKHESS		
ASTRA	Fixed	200cm	6mm	oui	20mm
	Fixed + pivot		•		
KALLIK	Fixed	200cm	6mm	non	20mm
INFINI (bath screen)	Fixed Fixed + pivot	140cm	6mm	oui	20mm
LINEA (cabin)	Sliding	207 - 234cm	5mm	oui	Self-supportir
	Pivot				15mm P/S
LINK	Sliding Side panel	200cm	6mm	oui	20mm side
HARMONIE			_	_	
(cabin)	Sliding	217 - 234cm	8mm	oui	Self-supportir
NUANCE	Fixed	200cm	8mm	oui	15mm
	Pivot door				
PRISMA	Sliding door Sliding C.A.	190cm	5mm	oui	20mm
	Side panel		**		
	Quarter circle				
KONNECT	Fixed	200cm	6mm	oui	20mm
PUMP'UP (PB)	Pivot	140cm	5mm	oui	15mm
SKY	WI sliding	200cm	6+8mm	oui	20mm
JK1	Sliding F.A.	2000111	OTOITIII	Oui	20111111
	Pivot door				
TIME	Sliding door Pivot CA.A.	200cm	6mm	oui	15mm P/S
HIVIE	Side panel	2000111	VillIII	Jui	20mm side
	Double pivot door				
	Fixed				
LENOX	Pivot door	200cm	10mm	non	20mm
	Sliding door Side panel				

www.kronebylgindustries.com | +33 (0)3 21 79 98 98 | 13



General table of possible configurations

————Shower and bathtub screen range ————
--

			· · · · · · · · · · · · · · · · · · ·	†
Collection	Open spaces	Fixed solutions (closed)	Corner solutions (closed)	Wall-mounted solutions (niche)
ASTRA	V	V		
KALLIK	V	V		
INFINI (bathtub screen)	V			
LINEA (shower cabin)		V	V	
LINK		V		V
HARMONIE (shower cabin)		V		
NUANCE	V			
PRISMA		~	~	V
KONNECT	\			
PUMP'UP (pare bain)	\			
SKY	V	V		
TIME		V	~	V
LENOX	V	~		V

www.kronebylgindustries.com | +33 (0)3 21 79 98 98]




















Astra - Walk-in

Fixed panel



Technical information

- + Height: 200cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 20mm



Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + Multi-position and adjustable 120cm support bar
- + Can be installed on a shower tray or walk-in style
- + Option to add a pivoting door (see page 17) or a mobile panel (see page 18) to reduce splashes
- + Available finishes: polished aluminium or anodised* matte black





ñ *ANODISATION VS LACQUERING:

> Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details









- + Aluminium profiles
- + Support bar
- + Metal floor fixing clip
- + End cap
- + Push handle for seal

WIDTH	EXPANDABILITY	FINISH	REF
70014	/0.70CM	Polished aluminium	33010001
70CM	68-70CM	Matte black	33010007
00011	70.00014	Polished aluminium	33010002
80CM	78-80CM	Matte black	33010008
00011	88-90CM	Polished aluminium	33010003
90CM		Matte black	33010009
100014	98-100CM	Polished aluminium	33010004
100CM		Matte black	33010010
100014	110 100014	Polished aluminium	33010005
120CM	118-120CM	Matte black	33010011
1,10011	100 14004	Polished aluminium	33010006
140CM	138-140CM	Matte black	33010012



Notice


















Astra - Pivot door



Technical information

- + Height: 200cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm:
- + Opens to 210° (folds completely inward):



Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + In a closed space to limit splashing and retain heat
- + Can only be installed with ASTRA walls (see page 16) and KALLIK walls (see page 19)
- + Available: finishes polished aluminium or anodised* matte black







*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ







- + Aluminium profiles
- + Double lip bottom seal
- + Push handle for the seal
- + Aluminium threshold bar
- + Polished aluminium or matte black handle depending on the finish

WIDTH	EXPANDABILITY	FINISH	REF
90014	77-78.5CM	Polished aluminium	33010041
80CM	//-/8.3CM	Matte black	33010043
00CM	07.00 5014	Polished aluminium	33010042
90CM	87-88.5CM	Matte black	33010044



Notice




















Astra - Pivoting panel


Shower panel



Technical information

- + Height: 200cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + 180° opening Inwards/outwards:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + In a closed space to limit splashing and retain heat
- + Can only be installed with ASTRA walls (see page 16) and KALLIK walls (see page 19) $\,$
- + Available finishes polished Aluminium or anodised* matte black






*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details





Included in the pack:

+ Aluminium profiles

WIDTH	FINISH	REF
30CM	Polished aluminium	33010041
30CM	Matte black	33010043
45014	Polished aluminium	33010042
45CM	Matte black	33010044



Notice





















Kallik - Walk-in

Fixed panel



Technical information

- + Height: 200cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 20mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + Multi-position support arm, adjustable up to 120cm
- + Can be installed on a shower tray or directly on the floor
- + Option to add a pivoting door (see page 17) or a mobile panel (see page 18) from the ASTRA range, in transparent glass to limit splashing
- + Available finishes: polished Aluminium or anodised* matte black






*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ







- + Aluminium profiles
- + Support bar
- + Metal floor fixing clip
- + End cap
- + Push handle for seal

WIDTH	EXPANDABILITY	FINISH	REF
70014	/9.70CM	Polished aluminium	33010013
70CM	68-70CM	Matte black	33010019
90014	70.00014	Polished aluminium	33010014
80CM	78-80CM	Matte black	33010020
00014	00.00014	Polished aluminium	33010015
90CM	88-90CM	Matte black	33010021
100014	00.100014	Polished aluminium	33010016
100CM	98-100CM	Matte black	33010022
100014	110 100014	Polished aluminium	33010017
120CM	118-120CM	Matte black	33010023
1,40014	100 14004	Polished aluminium	33010018
140CM	138-140CM	Matte black	33010024



Notice





















Prisma - Corner access



Technical information

- + Height: 190cm
- + Passage width: 80x80=41cm/90x90=47cm
- + Reversible product
- + Removable panels for easy cleaning
- + Pre-installed frame for quick assembly
- + 2-year warranty
- + Wall compensation profile 20mm:





Characteristics

- + 5mm transparent tempered SECURIT glass
- + NANO-CARE Anti-traces and anti-limescale treatment (on one side), made in Germany, PFOA-free from any harmful substances)
- +Two sliding doors offering a wide transparent view
- + High double wheels
- + Magnetic closure
- + Available finishes:
- Transparent glass = anodised* silver matte profiles
- Screen-printed glass = white profiles





*ANODISATION VS LACQUERING:
Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Détails







- + Aluminium profiles
- $\,+\,$ 2-hole handles in matte silver or white, depending on the finish

WIDTH	EXPANDABILITY	FINISH	REF
80X80CM	77-79CM	Matte silver	31010001
BUXBUCM	77-79CM	White	31010003
90X90CM	87-89CM	Matte silver	31010002
YUXYUCM		White	31010004



Notice




















Prisma - Quarter circle



Technical information

- + Height: 190cm
- + Passage width: 52cm
- + Reversible product
- + Removable panels for easy cleaning
- + 2-year warranty
- + Wall compensation profile 20mm:



Characteristics

- + 5mm transparent tempered SECURIT glass
- + NANO-CARE Anti-traces and anti-limescale treatment (on one side), made in Germany, PFOA-free from any harmful substances)
- + Two sliding doors offering a wide transparent view
- + High double wheels
- + Magnetic closure
- + Available finishes:
- Transparent glass = anodised* silver matte profiles
- $\bullet \ \ \text{Screen-printed glass} = \text{white profiles}$





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details







- + Aluminium profiles
- + 2-hole handles in silver mat or white, depending on the finish

WIDTH	EXPANDABILITY	FINISH	REF
90V90CM	77 70CM	Matte silver	32010001
90X90CM	77-79CM	White	32010002



Notice



krone By LG INDUSTRIES
















Prisma - Pivot door

Shower door



Technical information

- + Height: 190cm
- + Reversible product
- + Metal hinges with drilled holes and door delivered framed
- + 2-year warranty
- + Wall compensation profile 20mm:



Pivot door only

WIDTH	EXPANDABILITY	FINISH	REF
00014	75 70014	Matte silver	37010009
80CM	75-79CM	White	37010011
00014	05.00014	Matte silver	37010010
90CM	85-89CM	White	37010012

Pivot door with return panel

DOOR WIDTH	SCREEN WIDTH	FINISH	REF
80CM	20014	Matte silver	30010005
	80CM	White	30010006
90CM	80CM	Matte silver	30010007
		White	30010009
90CM	90CM	Matte silver	30010008
		White	30010010

Characteristics

- + 5mm transparent tempered SECURIT glass
- + NANO-CARE Anti-traces and anti-limescale treatment (on one side), made in Germany, PFOA-free from any harmful substances)
- + Magnetic closure
- + Possibility to add a fixed side panel
- + Available finishes:
- Transparent glass = anodised* silver matte profiles
- Screen-printed glass = white profiles





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details







- + Aluminium profiles
- + 2-hole handle in matte silver or white, depending on the finish





Notice



















Prisma - Sliding door


Shower door



Technical information

- + Height: 190cm
- + Passage width: 49cm
- + Reversible product
- + Detachable panel for easy cleaning
- + 2-year warranty
- + Wall compensation profile 20mm:





Characteristics

- + 5mm transparent tempered SECURIT glass
- + NANO-CARE Anti-traces and anti-limescale treatment (on one side), made in Germany, PFOA-free from any harmful substances)
- + Magnetic closure
- + High double rollers
- + Option to add a fixed side panel
- + Available finishes:
- Transparent glass = anodised* silver matte profiles
- $\bullet \ \ \text{Screen-printed glass} = \text{white profiles}$





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details







Included in the pack:

- + Aluminium profile
- + 2-hole handle

Sliding door only

WIDI		EXPANDABILITY	FINISH	REF
1000		115-119CM	Matte silver	38010001
120CM	·M		White	38010002

Sliding door with return panel

DOOR WIDTH	SCREEN WIDTH	FINISH	REF
120CM	75-79CM	Matte silver	30010001
		White	30010003
120CM	05.00011	Matte silver	30010002
	85-89CM	White	30010004





Notice


















Link - Pivot door


Shower door



Technical information

- + Height: 200cm
- + Passage width: 46cm for 80 et 90cm OR 58cm for 100 et 120cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE Anti-traces and anti-limescale treatment (on one side), made in Germany, PFOA-free from any harmful
- + Roller hinge with 90° opening
- + Option to add a side panel from the LINK range (see page
- + Available finishes: polished aluminium or anodised* matte black





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details





- + Aluminium profiles
- + "Wave" handle in chrome metal or matte black, depending on the finish
- + Threshold bar

WIDTH	EXPANDABILITY	FINISH	REF
80CM	78-81CM	Polished aluminium	37010023
OUCIVI		Matte black	37010027
90CM	88-91CM	Polished aluminium	37010024
70CM		Matte black	37010028
10004	98-101CM	Polished aluminium	37010025
100CM		Matte black	37010029
120CM	118-121CM	Polished aluminium	37010026
		Matte black	37010030



Notice


















Link - Sliding door


Shower door



Technical information

- + Height: 200cm
- + Passage width: 47cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side for the fixed panel, and on both sides for the sliding panel), made in Germany, PFOA-free (free from harmful substances)
- + Sliding door with low, anti-derailment matte aluminium wheels
- + Option to add a lateral panel from the LINK range (see page 26)
- + Available finishes: polished aluminium or anodised* matte black



ñ *ANODISATION VS LACQUERING: Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details







- + Aluminium profiles
- + "Wave" handle in chrome metal or matte black, depending on the finish
- + Magnetic seal kit
- + Ø 44mm wheels

WIDTH	EXPANDABILITY	FINISH	REF
100014	118-121CM	Polished aluminium	38010010
120CM		Matte black	38010012



Notice




















Link - Side panel

Return panel



Technical information

- + Height: 200cm
- + Reversible product
- + 2-year warranty
- + Wall compensation profile 20mm:



Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side for the fixed panel, and on both sides for the sliding panel), made in Germany, PFOA-free (free from harmful substances)
- + Can only be installed with de pivoting and sliding doors from LINK range (see pages 24 and 25)
- + Available finishes: polished aluminium or anodised* matte black






*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ





- + Aluminium profile
- + Connector

WIDTH	EXPANDABILITY	FINISH	REF
9000	77-79CM	Polished aluminium	36010013
80CM		Matte black	36010015
90CM	87-89CM	Polished aluminium	36010014
90CM		Matte black	36010016



Notice




















Nuance - Walk-in


Fixed panel



Technical information

- + Height: 200cm
- + Reversible product
- + 2-year warranty
- + Wall compensation profile 15mm:





Characteristics

- +8mm transparent tempered SECURIT glass
- + Framed glass
- + Anti-trace and anti-limescale NANO-CARE treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- $\,+\,$ 120cm adjustable support arm, fixed in the corner of the glass frame
- $\,+\,$ Available finishes: polished aluminium or anodised* matte black





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details







- + Aluminium profile
- + Support arm

WIDTH	FINISH	REF
120CM	Polished aluminium	33010025
120CM	Rose gold	33010028
14004	Polished aluminium	33010026
140CM	Rose gold	33010029
160CM	Polished aluminium	33010027
TOUCIVI	Rose gold	33010030



Notice















Anti-limescale

Sky - Sliding Walk-in

Sliding panel



Technical information

- + Height: 200cm
- + Reversible product
- + Double stopper = stability
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 20mm:





Walk-in only

WIDTH	EXPANDABILITY	FINISH	
120CM	117 110014	Polished aluminium	33010037
	116-119CM	Matte black	33010039
140CM	136-139CM	Polished aluminium	33010038
		Matte black	33010040

Walk-in with return panel

DOOR WIDTH	SCREEN WIDTH	FINISH	
120CM	900014	Polished aluminium	30010011
120CM	80CM	Matte black	30010013
120CM	90CM	Polished aluminium	30010012
		Matte black	30010014
140CM	80CM	Polished aluminium	30010015
		Matte black	30010017
140CM	90CM	Polished aluminium	30010016
		Matte black	30010018

Characteristics

- + Transparent tempered Securit glass, 8mm thick sliding panel and 6mm thick fixed panel
- , with anti-trace and anti-limescale NANO-CARE treatment (one side for the fixed panel and both sides for the sliding panel)
- + Space optimisation in the shower with the adjustable and discreet "L" support arm
- + Sliding panel with low anti-derailment rollers
- + Possibility to add a side panel (8mm tempered glass)
- + Available finishes: anodised* polished aluminium or matte black





*ANODISATION VS LACQUERING: Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details









- + Aluminium profiles
- + 40cm 2-hole handle in aluminium
- + Ø 64mm rollers





Notice




















Konnect - Walk-in 3 panels

Fixed panel



Technical information

- + Height: 200cm
- + Reversible product
- + Easy installation with no visible screws
- + 2-year warranty
- + Wall profile with 20mm adjustment:



Characteristics

- + KRONE creates the first walk-in shower screen that is modular and customisable
- + Storage space optimisation: transported in two cases (models in 100x200cm and 120x200cm) and assembled in less than 30 minutes
- + 6mm transparent tempered Safety glass

NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free of any harmful substances)

- + 100cm adjustable support arm
- + Possibility to customise the central glass, available in transparent glass or opaque glass
- + Available finishes: polished aluminium and anodised matte black





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ









Included in the pack (2 cartons/suitcases):

- + Aluminium profiles
- + 100cm support arm

WIDTH	EXPANDABILITY	PROFIL FINISH	CENTRAL GLASS FINISH	REF
		Polished aluminium	Transparent	33010031
100014	00 100014	Polisnea aluminium	Opaque	33010034
100CM	98-100CM	Matta black	Transparent	33010051
		Matte black	Opaque	33010054
	118-120CM	Polished aluminium	Transparent	33010032
100014			Opaque	33010035
120CM		Matte black	Transparent	33010052
			Opaque	33010055
140CM	138-140CM	Polished aluminium	Transparent	33010033
			Opaque	33010033
		Matte black	Transparent	33010053
		Marie black	Opaque	33010056



Notice

















Time - Corner access



Technical information

- + Height: 200cm
- + passage width: 60cm
- + Reversible product
- + Installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm





Characteristics

- + 6mm transparent Tempered Securit glass
- + Double pivot doors
- + Roller hinges with 90° opening
- + Anti-trace and anti-limescale NANO-CARE treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + Slim and stylish aluminium profiles
- + Available finishes: polished aluminium or anodised* matt






*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ





- + Aluminium profiles
- + 40 cm 2-hole handles in stainless steel or anodised* matte black, depending on the finish
- + Threshold bar

WIDTH	EXPANDABILITY	FINISH	REF
00V00CM	77.5-79CM	Polished aluminium	31010005
80X80CM	X77.5-79CM	Matte black	31010007
00V00CM	87.5-89CM	Polished aluminium	31010006
90X90CM	X87.5-89CM	Matte black	31010008



Notice

















Time - Sliding door



Technical information

- + Height: 200cm
- + Passage width: 47cm for 120cm OR 57cm for 140 and 160cm
- + Reversible product
- + Installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + Nano-Care anti-streak and anti-limescale treatment (one side for the fixed panel and both sides for the sliding panel), made in Germany, PFOA-free (free from any harmful substances)
- + High double wheels
- + Possibility to add a lateral panel from the TIME range (see
- + Available finishes: polished aluminium or anodised* matte black






ñ *ANODISATION VS LACQUERING:

> Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details







- + Aluminium profiles
- + 40cm 2-hole handles in stainless steel or anodised matte black, depending on the finish
- + Threshold bar
- + Push handle for the seal

WIDTH	EXPANDABILITY	FINISH	REF
120CM	116-119CM	Polished aluminium	38010003
120CM		Matte black	38010006
140CM	136-139CM	Polished aluminium	38010004
		Matte black	38010007
160CM	156-159CM	Polished aluminium	38010005
		Matte black	38010008



Notice





















Time - Pivot door



Technical information

- + Height: 200cm
- + Reversible product
- $\,+\,$ Pre-installed hinges and door delivered framed for quick installation and no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + Nano-Care anti-trace and anti-limescale treatment (on one side), made in Germany, free from PFOA (free of harmful substances)
- + Double pivoting door with metal hinges, opening to 90°
- + Possibility to add a lateral panel from the TIME range (see page 34)
- + Available finishes: anodised* polished aluminium or matte black





ñ *ANODISATION VS LACQUERING:

> Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details



- + Aluminium profiles
- + 40cm 2-hole handles in stainless steel or matte black anodised, depending on the finish
- + Push handle for the seal

WIDTH	EXPANDABILITY	FINISH	REF
80CM	76-79CM	Polished aluminium	37010013
80CM		Matte black	37010016
90CM	86-89CM	Polished aluminium	37010014
		Matte black	37010017
100CM	96-99CM	Polished aluminium	37010015
		Matte black	37010018



Notice























Time - Double pivot door **Shower door**



Technical information

- + Height: 200cm
- + Pre-installed hinges and door delivered framed for quick installation and no visible screws
- + 2-year warranty
- + Wall compensation profile 15mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + Nano-Care anti-trace and anti-limescale treatment (on one side), made in Germany, free from PFOA (free of harmful substances)
- + Double pivoting door with metal hinges, opening to 90°
- + Possibility to add a lateral panel from the TIME range (see
- + Available finishes: anodised* polished aluminium or matte black





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details



- + Aluminium profiles
- + 40cm 2-hole handles in stainless steel or anodised matte black, depending on the finish

WIDTH	EXPANDABILITY	FINISH	REF
80CM	76-79CM	Polished aluminium	37010019
		Matte black	37010021
90CM	86-89CM	Polished aluminium	37010020
		Matte black	37010022



Notice





















Time - Side panel Return panel



Technical information

- + Height: 200cm
- + Installation with no visible screws
- + 2-year warranty
- + Wall compensation profile 20mm:





Characteristics

- + 6mm transparent tempered SECURIT glass
- + Anti-trace and anti-limescale NANO-CARE treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + Can only be installed with pivot doors (see pages 32 and 33) or the sliding door (see page 31) from the TIME range
- + Available finishes: polished aluminium or anodised* matt black






*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ



- + Aluminium profiles
- + Floor fixing bracket

WIDTH	EXPANDABILITY	FINISH	REF
80CM	77-79CM	Polished aluminium	36010005
		Matte black	36010008
90CM	87-89CM	Polished aluminium	36010006
		Matte black	36010009
100CM	97-99CM	Polished aluminium	36010007
		Matte black	36010010



Notice
















Lenox - Walk-in

Fixed panel with pivoting panel



Technical information

- + Height: 200cm
- + Easy installation with no visible screws
- + 2-year warranty
- + Integrated compensation profile: 20mm



WIDTH REF 100+40CM 33010049 120+40CM 33010050

Characteristics

- + 10mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from harmful substances)
- + A 120cm recutable stabilisation bar for wall or ceiling mounting
- + Brass hinges with shining fasteners
- + Fixing integrated into the glass
- + Stainless steel profiles with 'mirror' gloss finish



+ Also available in the LENOX range: a hinged door, a sliding door and a side panel.

Details



- + Pivoting panel
- + Push handle for seal




















Lenox - Pivot door



Technical information

- + Height: 200cm
- + Passage width: 55cm
- + Easy installation with no visible screws
- + 2-year warranty
- + Integrated compensation profile: 20mm





Characteristics

- + 10mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from harmful
- + Fixing integrated into the glass
- + Square hinges with pivot and a maximum gap of 15 mm between the glass and the top profile
- + Top seal to allow water to drain into the shower tray, even when the door is fully open
- + Stainless steel profiles with 'mirror' gloss finish and integrated magnetic strip



 $+\,$ Also available in the LENOX range: a fixed panel, a sliding door and a side panel.

Details



- +Stainless steel handle
- +Push handle for seal

WIDTH	EXPANDABILITY	REF
90CM	88-92CM	37010031

















Lenox - Sliding door

Shower door



Characteristics

- + 10mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from harmful
- + Fixing integrated into the glass
- + Double wheels at top and bottom
- + A 'soft close' closing system
- + Stainless steel profiles with 'mirror' gloss finish




+ Also available in the LENOX range: a fixed panel, a pivot door and a side panel.

Technical information

- + Height: 200cm
- + Passage width: 50cm
- + Easy installation with no visible screws
- + 2-year warranty
- + Integrated compensation profile: 20mm





Details



- +Stainless steel handle
- +Push handle for seal

WIDTH	EXPANDABILITY	REF
120CM	118-122CM	38010013
140CM	138-142CM	38010014
160CM	158-162CM	38010015




















Lenox - Side panel

Return panel



Characteristics


- + 10mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from harmful substances)
- + Can only be installed with products from the LENOX
- + Stainless steel profiles with 'mirror' gloss finish and integrated magnetic strip



+ Also available in the LENOX range: a fixed panel, a pivot door and a sliding door

Technical information

- + Height: 200cm
- + Easy installation with no visible screws
- + 2-year warranty
- + Integrated compensation profile: 20mm



Details



WIDTH	EXPANDABILITY	REF
80CM	78-80CM	36010019
90CM	88-90CM	36010020













foot/feet















Linéa - Quarter circle

Shower enclosure



Technical information

- + Height: 220cm
- + Width: 90cm
- + Length: 90cm
- + Reversible product
- + Double high and low clip-on wheels
- + Passage width: 48cm
- + Tray height: 12.5cm
- + Quick installation without screws and silicone
- + 2-year warranty





Characteristics

- + 5mm transparent tempered framed SECURIT glass
- + Glass back walls
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, free from PFOA (free from harmful substances)
- + High-quality acrylic ABS shower tray with adjustable central foot
- + Adjustable rain shower height up to 30cm
- + Corner access with 2 sliding doors
- + Freestanding enclosure
- + Available finishes: polished aluminium or anodised* matte black





*ANODISATION VS LACQUERING: Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ









- + Roofless cabin
- + Low tray
- + Profiles
- + Mechanical mixer ceramic cartridge
- + Accessories (shower column handles Stainless steel shelf)
- + Push handle for seal
- + Wall mounting kit

FINISH	REF
Polished aluminium	24010001
Matte black	24010002



Notice



krone By LG INDUSTRIES





Linéa - Square


Shower enclosure



FINISH	REF
Polished aluminium	21010001
Matte black	21010002

Informations techniques


- + Height: 220cm
- + Width: 90cm
- + Length: 90cm
- + Reversible product
- + Double high and low clip-on wheels
- + Passage width: 49cm
- + Tray height: 12,5cm
- + Quick installation without screws and silicone
- + 2-year warranty





Linéa - Rectangle

Shower enclosure



FINISH	REF	
Polished	22010001	
aluminium	22010001	
Matte black	22010002	

Informations techniques

- + Height: 220cm
- + Width: 80cm
- + Length: 110cm
- + Reversible product
- + Double high and low clip-on wheels
- + Passage width: 44cm
- + Tray height: 12,5cm
- + Quick installation without screws and silicone
- + 2-year warranty





























Harmonie - Quarter circle

Shower enclosure



Technical information

- + Height: 220cm
- + Length: 90cm
- + Width: 90cm
- + Passage width: 46cm
- + Tray height: 15cm
- + Weight of the enclosure: 144kg
- + Removable front panel
- + Reversible product
- + 2-year warranty



WIDTH	FINISH	REF
90X90CM	Polished aluminium	24010003



Characteristics

- +8mm tempered SECURIT glass
- + "Pure white" back walls
- + Sliding doors with top roller and bottom guide
- + NANO-CARE anti-trace and anti-limescale treatment (one side for the quadrant enclosure, and both sides for the sliding screen of the rectangular enclosures), made in Germany, PFOA-free (free from any harmful substances)
- + Freestanding enclosure
- + Reinforced with additional central feet
- + Easy installation without drilling or visible screws
- +The 160 and 170cm rectangular models allow for bathtub replacement
- + Available finish: polished aluminium



+ Made of high-quality LUCITE acrylic, it retains a perfect white appearance over time and offers excellent resistance to external damage.

Details

ů













- + Tray
- + Overhead shower in ABS Ø 240mm
- + Hand shower in stainless steel Ø 250mm/2 jets
- + Non-recessed thermostatic mixer with 150mm centre distance
- + Chrome-plated stainless steel shower column
- + 2 stainless steel handles
- + One adjustable telescopic bar: 30cm
- + Wall mounting kit (if needed)



Harmonie

Shower cabin



Technical information

- + Height: 220cm
- + Length: 100cm
- + Width: 80cm
- + Passage width: 38cm
- + Tray height: 15cm
- + Cabin weight: 153kg + Removable front panel
- + "Soft close" and "soft open" closing system
- + Reversible product
- + 2-year warranty
- + Height: 220 cm
- + Length: 120 cm
- + Width: 90 cm
- + Passage width: 49 cm
- + Tray height: 15 cm
- + Cabin weight: 177 kg
- + Removable front panel
- + "Soft close" and "soft open" closing system
- + Reversible product
- + 2-year warranty

WIDTH	FINISH	REF
80X100CM	Polished aluminium	22010003
90X120CM	Polished aluminium	22010004







- + Height: 220 cm
- + Length: 160 cm
- + Width: 80 cm
- + Passage width: 69 cm
- + Tray height: 15 cm
- + Cabin weight: 211 kg
- + Removable front panel
- + "Soft close" and "soft open" closing system
- + Reversible product
- + 2-year warranty
- + Height: 220 cm
- + Length: 170 cm
- + Width: 80 cm
- + Passage width: 74 cm
- + Tray height: 15 cm
- + Cabin weight: 222 kg
- + Removable front panel
- + "Soft close" and "soft open" closing system
- + Reversible product
- + 2-year warranty

	WIDTH	FINISH	REF
Ī	80X160CM	Polished aluminium	22010005
	80X170CM	Polished aluminium	22010006
























Infini - Flxed bathtub screen

Bathtub screen



Technical information

- + Height: 140cm
- + 2-year warranty
- + Wall compensation profile: 20mm



Characteristics


- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + Designed to prevent splashing without restricting access to the shower/bathtub area
- + Available with an additional pivoting panel (see pages 41
- + Available finishes: polished aluminium or anodised* matt black



ů ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details



- + Fixed bathtub screen
- + Aluminium profiles
- + Clip fastening bracket

WIDTH	EXPANDABILITY	FINISH	REF
70CM	68-70CM	Polished aluminium	34010001
70CM	00-70CM	Matte black	34010004
80CM	78-80CM	Polished aluminium	34010002
80CM	78-80CM	Matte black	34010005
90CM	00.00		34010003
FOCM	88-90CM	Matte black	34010006



Notice






















Infini - Fixed bathtub screen and pivoting panel


Bathtub screen



Technical information

- + Height: 140cm
- + 180° pivoting panel
- + Reversible panel
- + 2-year warranty
- + Wall compensation profile: 20mm





Characteristics


- + 6mm transparent tempered SECURIT glass + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, PFOA-free (free from any harmful substances)
- + Designed to prevent splashing without restricting access to the shower/bathtub area
- + Available finishes: polished aluminium or polished aluminium or anodised* matt black





*ANODISATION VS LACQUERING: Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details



- + Fixed bathtub screen + Pivoting panel
- + Aluminium screen
- + 100cm adjustable support arm

+PANEL	FINISH	REF
70+30CM	Polished aluminium	34010017
70+30CM	Matte black	34010023
80+30CM	Polished aluminium	34010019
00+30CM	Matte black	34010025
90+30CM	Polished aluminium	34010021
90+30CM	Matte black	34010027
70+45CM	Polished aluminium	34010018
70+45CM	Matte black	34010024
80+45CM	Polished aluminium	34010020
60+45CM	Matte black	34010026
00.4504	Polished aluminium	34010022
90+45CM	Matte black	34010028



Notice




















Infini Curve - Fixed bathtub screen and pivoting panel

Bathtub screen



Technical information

- + Height: 140cm
- + Fixed panel width: 80cm
- + Pivoting panel width: 40cm
- + 180° pivoting panel
- + Reversible
- + 2-year warranty
- + Wall compensation profile: 20mm



Characteristics

- + 6mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment (on one side), made in Germany, free from PFOA (free from harmful substances)
- + Helps prevent splashes while maintaining easy access to the shower/bathtub space
- + Adds a touch of sophistication and modernity with its elegant curved design
- + Convenient with its integrated towel holder, keeping bath linens within easy reach
- + Available finishes: polished aluminium or anodised* matt black





*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details

ñ



Included in the pack pack:

- + Fixed bath screen + Pivoting panel
- + Aluminium profiles
- + Angle support arm
- + Stainless steel towel holder: 38cm

WIDTH	EXPANDABILITY	FINISH	REF
120CM	119-121CM	Polished aluminium	34010011
120CM		Matte black	34010012



Notice



















Pump-Up - Folding bath screen

Bathtub screen



Characteristics

- + 5mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment, made in Germany, PFOA-free (free from any harmful substances)
- + When unfolded, this bath screen limits splashing during showers; when raised above the bath, it completely frees up the bath space
- + Easy to maneuver thanks to its handle, which also serves as a towel rail
- + Available finishes: polished aluminium or anodised* matt black






*ANODISATION VS LACQUERING:

Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Technical information

- + Height: 140cm
- + lifts by 28cm
- + Width of screen when unfolded: 80cm
- + Width of screen when folded and raised: 75.5cm
- + Pivoting at 180°

+ Reversible product + 2-year warranty + Wall compensation profile: 15mm



Details



- + Profiles
- + Bath screen
- + Stainless towel rail

WIDTH	FINISH	REF
80CM	Polished aluminium	34010013
OUCIVI	Matte black	34010015



Notice



















Pump-Up - Folding bath screen and pivoting panel

Bathtub screen




Technical information

- + Height: 140cm
- + lifts by 28cm
- + Width when extended: 97cm
- + Width when folded and raises: 49cm
- + Reversible product
- + 2-year warranty
- + Wall compensation profile: 15mm







Characteristics

- + 5mm transparent tempered SECURIT glass
- + NANO-CARE anti-trace and anti-limescale treatment, made in Germany, PFOA-free (free from harmful substances)
- + Foldable bath screen with 2 panels, perfect for small spaces
- + This practical bath screen allows for easy switching between a soothing bath and an invigorating shower while preventing water splashes in the bathroom
- + 1 panel folds inward + 1 liftable pivoting panel that swivels 180° + Available finishes: polished aluminium or anodised* matt black





ñ *ANODISATION VS LACQUERING:

> Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.

Details



- + Profiles
- + Bath screen + panel
- + Central bar in stainless steel

WIDTH	FINISH	REF
97CM	Polished aluminium	34010014
	Matte black	34010016




Notice





Declik

Hook



DECLIK is the clever accessory that combines discretion and functionality.

- + It simply attaches above the shower screen without drilling or tools.
- $\,+\,$ It can also be subtly incorporated into the support arm, seamlessly blending into your shower design.
- + Thanks to its ingenious mechanism, DECLIK opens with a single gesture to hold your towel and closes when not in use, almost disappearing into the surroundings. A smart and stylish solution.
- $+ \, \mathsf{Made} \, \mathsf{from} \, \mathsf{durable} \, \mathsf{materials}, \mathsf{DECLIK} \, \mathsf{offers} \, \mathsf{exceptional} \, \mathsf{robustness}.$
- + It is available in anodised* matte black, anodised* matte silver, and polished aluminium.





KRONE





WE ARE MANUFACTURERS OF SHOWER TRAYS

Solid Stone Haute-Couture

We prioritise high-quality materials, such as Solid Stone Haute-Couture, crafted to the highest standards of bespoke quality. Each tray is handcrafted by our artisans in our European workshop. Colours are applied by hand using traditional surface techniques, ensuring every piece has its own unique, refined finish.





Kaïros, ultra-light KR-TECH



We work with a new formulation of the traditional composite mass, combining several ultra-light, technologically advanced fillers with next-generation resins. Thanks to this innovation and our state-of-the-art equipment, we are able to produce trays that are lightweight, robust, durable, and offer a precise, elegant finish. Our shower trays start from 22.5 kg/m², ensuring exceptional lightness without compromising on strength or durability.

krone

CE Sasy Warranty Warranty


Kaïros

Shower tray



Technical information

- + Length: from 80 to 200cm
- + Width: from 70 to 100cm
- + Thickness: between 2.5 and 2.9cm
- + Drain: 90mm diameter
- + 2-year warranty





DISTANCE TO CENTRE OF EVACUATION	
LENGTH	DISTANCE
80 to 120cm	30cm
121 to 160cm	40cm
more than 161cm	50cm

Characteristics

- + Made from the latest generation composite KR-TECH* with a top-of-the-range mineral filler (20-24kg/m2 depending on format)
- + Antibacterial ISO NPG sanitary GelCoat surface
- + Stone texture
- $\,+\,$ Customisable and adjustable in width and length, it can also be used to make cut-outs
- + Available in 2 colours





*KR-TECH is a new traditional bulk formulation, combining several ultra-light, technologically advanced fillers with latest-generation composite.

Dimensions and references

White shower tray

LENGTH	REF	LENGTH	REF	LENGTH	REF
160CM	61010101	80CM	61010301	90CM	61011301
170CM 61010201	100CM	61010401	100CM	61011401	
		110CM	61010501	110CM	61011501
	120CM	61010601	120CM	61011601	
	130CM	61010701	130CM	61011701	
	140CM	61010801	140CM	61011801	
	150CM	61010901	150CM	61011901	
	160CM	61011001	160CM	61012001	
	170CM	61011101	170CM	61012101	
	180CM	61011201	180CM	61012201	

DIMENSIONS REF		
80X80CM	61012301	
90X90 CM	61012401	

Black shower tray

LENGTH	REF	LENGTH	REF	LENGTH	REF
160CM	61010102	80CM	61010302	90CM	61011302
111 122 133 144 155 166	100CM	61010402	100CM	61011402	
	110CM	61010502	110CM	61011502	
	120CM	61010602	120CM	61011602	
	130CM	61010702	130CM	61011702	
	140CM	61010802	140CM	61011802	
	150CM	61010902	150CM	61011902	
	160CM	61011002	160CM	61012002	
	170CM	61011102	170CM	61012102	
	180CM	61011202	180CM	61012202	

DIMENSIONS	REF	
80X80CM	61012302	
90X90CM	61012402	





WEMANUFACTURE TAPS

Quality and Design...

As tapware manufacturers, we prioritise high-quality materials, such as solid brass and stainless steel. The components of our hydraulic system are carefully selected from the best on the market. Our products are certified.



We offer a range of finishes: chrome, matte black, and PVD, including brushed stainless steel and shades ranging from gold to gunmetal.



... To meet the needs of our customers.

We remain attentive to market trends and customers expectations.

Our water-efficient, low-flow tapware fully meets environmental standards.





French production line

For several years, our ambition has been to create more jobs and added value in France.

By manufacturing our thermostatic mixers in the North of France, we reaffirm this commitment.

Our faucets meet the highest quality standards and are certified NF by the CSTB (Scientific and Technical Center of Building).

This local production provides us with optimal flexibility, allowing us to quickly and efficiently respond to specific demands while ensuring consistent quality.

In France we manufacture THERMOSTATIC MIXERS











Style

Mechanical basin mixer

Tall mechanical basin mixer

















Characteristics

- + Hot/cold water
- + Brass body, handle, trim under handle and base
- + SEDAL C3 ceramic cartridge (cold water start in the central position: Ø 25 mm
- + NEOPERL flow reduction aerator
- + Connection hoses and waste provided
- + Supplied with a matching brass pop-up waste and a kit for open waste
- + Available in 5 finishes:
- Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)

Technical information

- + Total height: 173.5mm
- + Spout height: 82mm
- + Body: Ø 35mm
- + Single hole
- + 2-year warranty



FINISH	REF
Chrome	1011101CA
Rose gold	1011101PC
Gun metal	1011101PL
Matte Black	1011101AB
Brushed gold	1011101PD

Characteristics

- + Hot/cold water
- + Brass body, handle, trim under handle and base
- + SEDAL C3 ceramic cartridge (cold water start in the central position: Ø 25mm
- + NEOPERL flow reduction aerator
- + Connection hoses and waste provided
- + Supplied with a matching brass pop-up waste and a kit for open waste
- + Available in 5 finishes:
- Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)

- + Total height: 314.5mm
- + Spout height: 210.5mm
- + Body: Ø 38mm
- + Single hole
- + 2-year warranty



FINISH	REF
Chrome	1011102CA
Rose gold	1011102PC
Gun metal	1011102PL
Matte Black	1011102AB
Brushed gold	1011102PD



- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + C3 cartridges allow for water and energy savings by reducing water consumption and the energy required for hot water.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinler and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.

















Style

Mechanical shower mixer

Mechanical bath/shower mixer















Characteristics

- + Brass body
- + Zinc alloy handles with brass stem
- + SEDAL C1 ceramic cartridge: Ø 35mm
- + Available in 5 finishes:
- Chrome
- Matte black (anodised*)
- Rose gold/Gun metal /Brushed Gold (PVD**)

Technical information

- + Width: 257 mm
- + Body: Ø 42 mm
- + Projection: 61 mm
- + Centre distance: 150 mm
- + Rosettes: Ø 62 mm
- + Warranty: 2 years

FINISH	REF
Chrome	1012401CA
Rose gold	1012401PC
Gun metal	1012401PL
Matte Black	1012401AB
Brushed gold	1012401PD

Characteristics

- + Brass body
- + Zinc alloy handles with brass stem
- + SEDAL C1 ceramic cartridge: Ø 35mm
- + NEOPERL flow reduction aerator
- + Available in 5 finishes:
- Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)

- + Width: 283 mm
- + Body: Ø 42 mm
- + Projection: 161 mm
- + Centre distance 150
- + Rosettes: Ø 62 mm
- + Warranty: 2 years

FINISH	REF
Chrome	1012501CA
Rose gold	1012501PC
Gun metal	1012501PL
Matte Black	1012501AB
Brushed gold	1012501PD



- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinier and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.

















Style

Thermostatic shower mixer



Thermostatic bath/shower mixer















Characteristics

- + Brass body
- + Zinc alloy handles with brass stem
- + SEDAL C1 ceramic cartridge: Ø 35mm
- + VERNET VT30 thermostatic cartridge (stable temperature, antiscald safety)
- + NEOPERL flow reduction aerator
- + Available in 5 finishes:
- · Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)

Technical information

- + Width: 279 mm
- + Body: Ø 40 mm
- + Projection: 77.5 mm
- + Centre distance: 150 mm
- + Rosettes: Ø 62 mm
- + Warranty: 2 years

FINISH	REF
Chrome	3012401CA
Rose gold	3012401PC
Gun metal	3012401PL
Matte Black	3012401AB
Brushed gold	3012401PD

Characteristics

- + Brass body
- + Zinc alloy handles with brass stem
- + SEDAL C1 ceramic cartridge: Ø 35mm
- + VERNET VT30 thermostatic cartridge (stable temperature, antiscald safety)
- + NEOPERL flow reduction aerator
- + Available in 5 finishes:
- · Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)

- + Width: 267 mm
- + Body: Ø 42 mm
- + Projection: 131 mm
- + Centre distance: 150 mm
- + Rosettes: Ø 62 mm
- + Warranty: 2 years

FINISH	REF
Chrome	3012501CA
Rose gold	3012501PC
Gun metal	3012501PL
Matte Black	3012501AB
Brushed gold	3012501PD



- + VERNET thermostatic cartridges ensure a precise and stable mixed water temperature thanks to their dual flow control function.
- + NEOPERL specializes in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to impacts and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinier and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.
















Style

Mechanical floor-mounted bath/shower mixer



Characteristics

- + Brass body and spout
- + Zinc alloy handle
- + Decorative tube and legs in stainless steel
- + Water inlet pipe in copper
- + SEDAL C1 cartridge: Ø 40mm
- + WANHAI diverter cartridge
- + NEOPERL aerator
- + Brass hand shower (1 function)
- + 1.5m anti-twist PVC shower hose
- + Tucai flexible hose (length to floor inlet)
- + Available in 5 finishes:
- Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)









black



Technical information

- + Height: 948mm
- + Depth: 295.5mm
- + Body: Ø 50mm
- + Base: Ø 160mm
- + Single hole + 2-year warranty

FINISH	REF
Chrome	1011501CA
Rose gold	1011501PC
Gun metal	1011501PL
Matte Black	1011501AB
Brushed gold	1011501PD

- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinier and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.















Keen

Mechanical basin mixer















Characteristics

- + Stainless steel inox body
- + Hot/cold water
- + Ceramic cartridge: Ø35m
- + NEOPERL aerator
- + Quick-fit system
- +Supplied with a matching pop-up
- + Available in 4 finishes:
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed stainless steel (PVD**)
- Matte black (anodised*)

Technical information

- + Height: 171mm
- + Height under spout: 72mm
- + Body: Ø45mm
- + Projection: 128mm
- + Flexible feed: 400mm
- + Single hole
- + 2-year warranty



FINISH	REF
Brushed gold	1011103PD
Brushed gun metal	1011103PL
Brushed stainless steel	1011101NI
Matte black	1011103AB

Characteristics

- + Stainless steel inox body
- + Hot/cold water
- + Ceramic cartridge: Ø35m
- + NEOPERL aerator
- + Quick-fit system
- +Supplied with a matching pop-up
- + Available in 4 finishes:
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed stainless steel (PVD**)
- Matte black (anodised*)

- + Height: 294mm
- + Height under spout: 195mm
- + Body: Ø45mm
- + Projection: 128mm
- + Flexible feed: 400mm
- + Single hole
- + 2-year warranty

FINISH	REF
Brushed gold	1011104PD
Brushed gun metal	1011104PL
Brushed stainless steel	1011102NI
Matte black	1011104AB



- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinler and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.

















Center distance

Mechanical bath/shower mixer

Cartridge diameter

Keen

Mechanical shower mixer







gun metal





black



Characteristics

- + Stainless steel inox body
- + Ceramic cartridge: Ø35mm
- + Available in 4 finishes:
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed stainless steel (PVD**)
- Matte black (anodised*)

Technical information

- + Width: 190mm + Depth: 119mm
- + Pipe projection: 59mm
- + Centre distance: 150mm
- + Warranty: 2 years

FINISH	REF
Brushed gold	1012402PD
Brushed gun metal	1012402PL
Brushed stainless steel	1012401NI
Matte black	1012402AB

Characteristics

- + Stainless steel inox body
- + Ceramic cartridge: Ø35mm
- + NEOPERL aerator
- + Available in 4 finishes:
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed stainless steel (PVD**)
- Matte black (anodised*)

- + Width: 190mm
- + Height: 92mm
- + Depth: 186mm
- + Projection: 177 mm
- + Pipe projection: 127mm
- + Centre distance: 150mm
- + Warranty: 2 years

FINISH	REF
Brushed gold	1012502PD
Brushed gun metal	1012502PL
Brushed stainless steel	1012501NI
Matte black	1012502AB



- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinler and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.

















Keen

Mechanical floor-mounted bath/shower mixer







Characteristics

- + Stainless steel inox body
- + Ceramic cartridge: Ø35mm
- + NEOPERL aerator
- + Flexible supply hose: 740mm
- + Available in 4 finishes:
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed stainless steel (PVD**)
- Matte black (anodised*)











gun metal

- + Height: 1171mm
- + Height under spout: 1059mm
- + Projection: 200mm
- + Body: Ø45mm
- + Base: Ø160mm + Single hole
- + 2-year warranty

FINISH	REF
Brushed gold	1011502PD
Brushed gun metal	1011502PL
Brushed stainless steel	1011501NI
Matte black	1011502AB



- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinler and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.















Zak

Mechanical basin mixer











Metal



Brushed Rose Gold



Characteristics

- + Zamac body with PPA waterway
- + Hot / cold water
- $+ \ Ceramic\ cartridge: \varnothing\ 25\ mm$
- + 2 x 50 cm inlet hoses
- + Supplied with ABS pop-up waste
- + Available in 6 finishes:
- · Chrome
- Matte Black (anodised*)
- Brushed nickel (PVD**)
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed rose gold (PVD**)

Technical information

- + Height: 158.5mm
- + Height under spout: 107mm
- + Body: Ø42mm
- + Projection: 109mm
- + Depth: 146mm
- + Single hole
- + 2-year warranty



FINISH	REF
Chrome	1011103CA
Matte black	1011106AB
Brushed nickel	1011101PJ
Brushed gold	1011106PD
Brushed gun metal	1011106PL
Brushed rose gold	1011103PC

Characteristics

- + Zamac body with PPA waterway
- + Hot / cold water
- + Ceramic cartridge: Ø 25 mm
- + 2 x 50 cm inlet hoses
- + Supplied with ABS pop-up waste.
- + Available in 6 finishes:
- Chrome
- Matte Black (anodised*)
- Brushed nickel (PVD**)
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed rose gold (PVD**)

- + Height: 285mm
- + Height under spout: 233mm
- + Body: Ø42mm
- + Projection: 109mm
- + Single hole
- + 2-year warranty



FINISH	REF
Chrome	1011104CA
Matte black	1011107AB
Brushed nickel	1011102PJ
Brushed gold	1011107PD
Brushed gun metal	1011107PL
Brushed rose gold	1011104PC



- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinier and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.

















Center distance

Zak

Mechanical shower mixer

Mechanical bath/shower mixer





Chrome





Gold

Nickel



Metal



Bri ished Rose Gold



Characteristics

- + Zamac body with PPA waterway
- + Ceramic cartridge: Ø35mm
- + Stainless steel elbows and rosettes with 2 threads
- + Available in 6 finishes:
- Chrome
- Matte Black (anodised*)
- Brushed nickel (PVD**)
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed rose gold (PVD**)

Technical information

- + Height: 114mm
- + Depth: 145mm
- + Body: Ø42mm + Pipe projection: 60mm
- + Centre distance: 150mm
- + Warranty: 2 years

FINISH	REF
Chrome	1012402CA
Matte black	1012403AB
Brushed nickel	1012401PJ
Brushed gold	1012403PD
Brushed gun metal	1012403PL
Brushed rose gold	1012402PC

Characteristics

- + Zamac body with PPA waterway
- + Ceramic cartridge: Ø35mm
- + Stainless steel elbows and rosettes with 2 threads
- + Available in 6 finishes:
- Chrome
- Matte Black (anodised*)
- Brushed nickel (PVD**)
- Brushed gold (PVD**)
- Brushed gun metal (PVD**)
- Brushed rose gold (PVD**)

Technical information

+ Height: 106mm

+ Depth: 202mm

+ Body: Ø42mm

+ Projection: 185 mm + Pipe projection: 120mm

+ Centre distance: 150mm

+ Warranty: 2 years

FINISH	REF
Chrome	1012502CA
Matte black	1012503AB
Brushed nickel	1012501PJ
Brushed gold	1012503PD
Brushed gun metal	1012503PL
Brushed rose gold	1012502PC



- + NEOPERL specialises in innovative solutions for drinking water and makes a valuable contribution to the sustainable use of drinking water worldwide.
- + Anodising* offers a durable colour and high resistance to knocks and scratches.
- + PVD** coatings (Physical Vapor Deposition) are both shinier and more durable than traditional chrome coatings, providing better wear and scratch resistance and a longer lifespan.





krone BY LG INDUSTRIES



The best value for money

KRONE offers shower columns equipped with thermostatic or mechanical mixers. Our commitment to quality, along with our rigorous selection and control of raw materials, ensures your peace of mind. With almost zero complaints, our track record speaks to our high standards.

Our complete range, featuring harmonious designs and finishes, brings unity to your bathroom. We offer various finishes: chrome, matte white, matte black, or PVD, including brushed stainless steel and shades ranging from rose gold to gunmetal. Compliance with ACS and NF standards guarantees the quality of your shower column.



Crea

Thermostatic Shower Column



Details





















Set includes

- + A brass thermostatic mixer with NF certification that allows precise temperature adjustment, delivers a constant flow rate, and reacts instantly
- + A thermostatic cartridge
- + A flow control handle with integrated diverter
- + A 38°C anti-scald safety feature
- + An adjustable shower head
- + A hand shower

Technical information

- + Height: 959mm
- + Rigid shower bar (non-adjustable)
- + Sliding wall fixings: min 80mm / max 840mm
- + Shower head: Ø 240mm
- + Hand shower hose: 1500mm
- + Depth: 400mm
- + Handheld shower: 1 jet
- + Finish: chrome
- + 2-year warranty



-		To the	100
-4		103(nax)/83(nin)	All 5 to
	() ø110 8		
910		939 80(nin)	
	\	959 840(max)/80(min)	
	Ø22 <u> </u>	888	
E E		38 7	
Е.			

FINISH	REF
Chrome	4012402CA







Quik

Thermostatic shower column



Details















Centre distance

Set includes


- + A thermostatic mixer for precise temperature control, delivering a constant flow and reacting instantly
- + A thermostatic cartridge
- + A flow handle with an integrated diverter
- + A 38°C anti-scald safety feature
- + A stainless steel adjustable shower head
- + A hand shower

Technical information

- + Height: Adjustable bar 800-1170mm
- + Shower head: Ø 225mm
- + Depth: 340mm
- + Shower hose: 1500mm anti-rotation
- + Handheld shower: 3 jets
- + Finish: anodised* Matte black
- + 2-year warranty



*ANODISATION VS LACQUERING: ñ Durable colour, high impact and scratch resistance, significantly increase the longevity of profiles.





FINISH	REF
Matte black	4012402AB







Pulse

Thermostatic shower column





















Set includes


- + A slim thermostatic mixer that allows precise temperature control, delivers a constant flow rate, and reacts instantly
- + A thermostatic cartridge
- + Flow control handle with built-in diverter
- + A 38°C anti-scald safety feature
- + Adjustable shower head
- + A hand shower

Technical information

- + Height: Adjustable bar 800-1170mm
- + Shower head: Ø 200mm
- + Depth: 350mm
- + Shower hose: 1500mm double stapling
- + Handheld shower: 5 jets
- + Finish: Chrome
- + 2-year warranty



Chrome







FINISH	REF
Chrome	4012403CA







Prime

Thermostatic shower column



Details















Centre distance


Set includes

- + A slim thermostatic mixer that allows precise temperature control, delivers a constant flow rate, and reacts instantly
- + A thermostatic cartridge
- + Flow control handle with built-in diverter
- + A 38°C anti-scald safety feature
- + Adjustable shower head
- + Hand shower

Technical information

- + Height: Adjustable bar 720-1200mm
- + Shower head: Ø 225mm
- + Depth: 370mm
- + Shower hose: 1500mm double stapling
- + Handheld shower: 1 jet
- + Finish: Chrome
- + 2-year warranty







FINISH	REF
Chrome	4012405CA







Pure

Thermostatic shower column

















Set includes

- + A slim thermostatic mixer that allows precise temperature control, delivers a constant flow rate, and reacts instantly
- + A thermostatic cartridge
- + Flow control handle with built-in diverter
- + A 38°C anti-scald safety feature
- + A shower head
- + Hand shower

Technical information


- + Height: Adjustable bar 810-1140mm
- + Shower head: Ø 238mm
- + Depth: 350mm
- + Shower hose: 1500mm double stapling
- + Handheld shower: 1 jet
- + Finish: Chrome
- + 2-year warranty




Chrome

Details







FINISH	REF
Chrome	4012404CA





















Style

Thermostatic shower column



Details



FINISH	REF
Chrome	4012401CA
Rose gold	4012401PC
Gun metal	4012401PL
Matte Black	4012401AB
Brushed gold	4012401PD

Set includes

- + Adjustable stainless steel shower column
- + Cool Touch thermostatic mixer (cool body)
- + VERNET VT23 thermostatic cartridge (stable temperature, anti-scald safety feature)
- + Stainless steel shower head
- + Available in 5 finishes:
- · Chrome
- Matte black (anodised*)
- Rose gold/Gun metal/Brushed Gold (PVD**)












Chrome

Rose gold Gun metal

Brushed gold

- + Height: adjustable bar
- + Shower head: Ø 250mm
- + Depth: 340mm
- + Shower hose: 1500mm anti-twist
- + Handheld shower: 1 jet
- + 2-year warranty







KRONE



Keen

Thermostatic shower column



Details



FINISH	REF
Brushed gold	4012402PD
Brushed gun metal	4012402PL
Brushed stainless steel	4012401NI
Matte black	4012403AB













Centre distance

Set includes

- + Stainless steel thermostatic shower column
- + Ceramic thermostatic cartridge: Ø27mm
- + Adjustable telescopic shower arm: 860-1195mm
- + Handheld stick shower head
- + Available in 4 finishes:
- Brushed gold (PVD)
- Brushed gun metal (PVD)
- Brushed stainless steel (PVD)
- Matte black (anodised)





gun metal






Matte black

Technical information

- + Shower head: Ø250mm
- + Flexible hose: 1500mm
- + Mixer body: Ø45mm
- + Mixer width: 286mm
- + Centre distance: 150mm
- + Mixer projection: 63mm
- + Shower head projection: 550mm
- + 2-year warranty









KRONE





WE ARE MANUFACTURERS OF BATHTUBS


The design...

With 20 years of experience in manufacturing double-shell bathtubs, we are strengthening our position in the design market.

Discover our collection: the ANTIK bathtub with its timeless charm for a retro effect; the MONACO bathtub, offering a sophisticated look with elegant reliefs; and the COLORS transparent bathtub, for an original design.



...and the quality



KRONE collaborates with the acrylic sheet manufacturer, LUCITE. Each bathtub is handcrafted by our master craftsmen in our workshop. Thanks to adjustable central feet, we ensure optimal level?

Finally, each bathtub undergoes a thorough 100% inspection before shipment, with an additional polishing step carried out by our team.





Antik

Freestanding bathtub



Characteristics

- + This retro "double-shell" bathtub is made of two specially formed LUCITE acrylic sheets, reinforced together with a biscuit layer; a technology that allows great design flexibility while ensuring strength, safety, and durability
- + Integrated deck for accessories
- + High-resistance clawfoot legs available in white lion paws or chrome eagle claws
- + Sold without waste
- + Available finishes: glossy white interior and exterior or glossy white interior - glossy black exterior





+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Technical information

- + Adjustable metal feet
- + Dimensions: L 1750 x W 800 x H 640mm
- + Depth: 440mm
- + Capacity: 170litres
- + Weight: approximately: 42Kg
- + Base thickness: between 12 et 16mm
- + Handmade bathtub, one piece
- + 2-year warranty






Details









FINISH	FEET	REF
Glossy white int/ext	Eagle claws CH	12010001
Glossy Writte IIII/ext	Lion claws BL	12010005
Glossy white int	Eagle claws CH	12010002
Glossy black ext	Lion claws BL	12010006



KRONE



krone By LG INDUSTRIES




Marbella - Wall-mounted

Wall-mounted bathtub



Technical information

- + 6 adjustable metal feet
- + Dimensions: L 1700 x W 750 x h 600mm
- + Depth: 430mm
- + Capacity: 246L
- + Weight: 60Kg
- + 2-year warranty



Characteristics

- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Internal reinforcement
- + "Invisible" overflow
- + Flat rim
- + Glossy white finish



+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Details







Included in the pack:

- + Glossy white cap waste plug
- + Drainage siphon and flexible hose

FINISH	REF
Glossy white	13010001







Marbella - Angle

Corner bathtub



Characteristics


- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + "Invisible" overflow
- + Models available to fit right or left corner
- + Glossy white finish




+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Technical information

- + Adjustable metal feet
- + Dimensions: L 1700 x W 730 x h 580mm
- + Depth: 425mm
- + Capacity: 235L
- + Weight: 54kg
- + 2-year warranty



Details







Included in the pack:

- + Glossy white cap waste plug
- + Drainage siphon and flexible hose

FINISH	REF
Right	10010001
Left	11010001





KRONE



Munich

Freestanding bathtub



Characteristics


- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Glossy white finish



+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Technical information

- + Adjustable metal feet
- + Dimensions: L 1700 x I 800 x h 625mm
- + Depth: 440mm
- + Capacity: 251L
- + Weight: 73kg
- + 2-year warranty





Details







Included in the pack:

- + Click-clack waste with chrome cap
- + Chrome overflow

FINISH	REF
Glossy white	12010009








Macao

Freestanding bathtub




Technical information

- + Adjustable metal feet
- + Dimensions: L 1703 x I 808 x h 645mm
- + Depth: 460mm
- + Capacity: 248L
- + Weight: 55kg
- + 2-year warranty







Characteristics

- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Its oval shape with a gently sloped inner shell invites relaxation
- + Drainage system with "invisible" overflow
- + Available finishes: matte white and glossy white





+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Details







Included in the pack:

+ Click-clack waste with a cap in glossy white or matte white, depending on the finish

FINISH	REF
Glossy white	12010010
Matte white	12010011





KRONE

krone By LG INDUSTRIES




Minsk

Freestanding bathtub



Technical information

- + Adjustable metal feet
- + Glass shelf 8 mm: L 640 x W 410mm
- + Dimensions: L 1700 x W 800 x H 625mm
- + Depth: 440mm
- + Capacity: 190L
- + Weight: 73kg
- + 2-year warranty





Characteristics

- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Waste with rectangular overflow and chrome frame
- $\,+\,$ Integrated storage for optimal space usage and quick access to hygiene and beauty products
- + Glossy white finish



+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Details







Included in the pack:

- + Chrome cap click-clack waste
- + Chrome overflow with grille

FINISH	REF
Glossy white	12010012








Monaco

Freestanding bathtub




Technical information

- + 6 adjustable metal feet
- + Dimensions: L 1800 x W 800 x H 620mm
- + Depth: 430mm
- + Capacity: 272L
- + Weight: 62kg
- + 2-year warranty







Characteristics

- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Drainage system with "invisible" overflow
- + Available finish: Glossy white / matte white / matte black whit glossy white interior







 $+\ \mbox{LUCITE}$ brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Details







Included in the pack:

+ Click-clack waste with a cap in glossy white or matte white, depending on the finish

FINISH	REF
Glossy white	12010013
Matte white	12010014
Glossy white int Matte black ext	12010015





KRONE




Monte Carlo

Freestanding bathtub



Technical information

- + 6 Adjustable metal feet
- + Dimensions: L 1750 x W 750 x H 620 mm
- + Depth: 480mm
- + Capacity: 306L
- + Weight: 47 kg
- + 2-year warranty



Characteristics

- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Waste with rectangular overflow and chrome grille
- + Glossy white finish



+ LUCITE brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Details







Included in the pack:

+ Click-clack waste with a cap in glossy white

FINISH	REF
Glossy white	12010016







Kyma

Freestanding bathtub



Caractéristiques


- + This "double shell" bathtub is made of two specifically formed LUCITE acrylic sheets, reinforced between them by a biscuit. This technology allows great flexibility in design, while ensuring strength, safety, and durability
- + Textured bathtub with elegant ripples
- + Drop-in surface
- + Invisible overflow
- + Available finishes: white gloss



 $\mathring{\mathbb{1}} \boxed{ + \text{LUCITE}}$ brand sheets are of superior quality; the acrylic maintains a perfect white over time and offers excellent resistance to wear and external elements

Technical information

- + Dimensions: L 1700 x W 750 x H 620mm
- + Depth: 430mm
- + Capacity: 226L
- + Weight: 55kg
- + 2-year warranty









Détails







Included in the pack:

+ Click-clack waste with a cap in glossy white

FINISH	REF
Glossy white	12010025





+33 (0)3 21 79 98 98 contact@kronebylgindustries.com




Colors

Freestanding bathtub



Technical information

- + Dimensions: L 1700 x W 790 x H 580mm
- + Depth: 435mm
- + Capacity: 412L
- + Weight: 65kg
- + Self-supporting
- + 2-year warranty




Characteristics

- + A freestanding bathtub with a translucent design that adds a touch of refinement and a unique look to your bathroom
- + Made with transparent acrylic
- + No overflow
- + Bottom "matt finishing" (non-contractual photo)
- + Available in 8 colours:



Details





Included in the pack: + Chrome waste

FINISH	REF
Wine red	12010017
Deep purple	12010018
Crystal lagoon	12010019
Eucalyptus mist	12010020

FINISH	REF
Deep black	12010021
Pale pink	12010022
Honey amber	12010023
Royal sapphire	12010024



KRONE







BESPOKE LOGISTICS SERVICES

Available stock

Our 12,000 m2 logistics centre stands out with its modern and secure storage facilities, meeting the highest standards. With optimised management, we accommodate a wide variety of products, regardless of their size or specific requirements. Our intelligent systems ensure real-time traceability and accessibility, guaranteeing efficient and secure warehousing.



Functional and secure packaging

We use cutting-edge technologies to ensure the safety and integrity of goods during transport, and our specialised teams are trained to design bespoke packaging solutions tailored to each product and its specific requirements. Our rigorous processes and global logistics network guarantee efficient delivery.



Committed!





Our factory is certified BSCI, ISO 9001 and ISO 14001

+ The BSCI label recognises companies committed to improving working conditions in their global supply chains.

We achieved an A rating in 10 out of 13 assessed areas, placing us among the top-performing factories.

- + The ISO 9001 certification ensures compliance with strict quality and management standards, guaranteeing reliable and high-performance products and services.
- + The ISO 14001 certification demonstrates our commitment to reducing environmental impact and adopting sustainable practices.

EcoVadis - PLATINIUM

+ LG INDUSTRIES has achieved the highest level of recognition in the EcoVadis audit: the PLATINIUM medal places us among the top 1% of audited companies, for the fourth consecutive year.

CSR at the heart of our historical processes:

Product

- Materials guaranteed to be free of hazardous substances
- Profiles free of heavy metals
- NanoCare treatment without PFOA (free from any harmful substances)
- Tempered glass: 100% verified

Factory

- New 36,000m² factory opened in 2024, double the size of the previous one
- Integration of new, more efficient machines that optimise productivity and reduce energy consumption
- Located in a specialised sub-component production area allowing faster supply and reduced logistical costs

Human

- Fair and equitable working conditions for our employees
- Diversity and equal opportunities
- · Commitment to gender parity
- 100% of employees are on permanent contracts

Packaging

- FSC-certified packaging
- Elimination of plastics
- Optimisation of containers
- · Mineral-based inks



SHOULD YOU WISH TO CONTACT US



Thierry Lelong, CEO & founder thierry.lelong@lgindustries.fr


Ghislaine Peythieux, Deputy CEO ghislaine.peythieux@lgindustries.fr

Ute Ansart Export sales representative ute.ansart@lgindustries.eu

Sarah Zellagui, Quality engineer technique@lgindustries.eu

Laurent Delefosse, Technical consultant laurent.delefosse@lgindustries.fr

krone BY LG INDUSTRIES





LG INDUSTRIES

1 rue de l'Empire 59133 PHALEMPIN FRANCE +33 321 799 898

contact@lgindustries.eu www.kronebylgindustries.eu